



SAFETY DATA SHEET

(regulation EU n° 878/2020)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : NEX CLOREX C2 - SHOWER BATH KIT - formulation 070 - UFI: 9060-D0AV-H005-YS53

1.2. Relevant identified uses of the substance or mixture and uses advised against

Cleaning and antiseptics of healthy skin

Antiseptic soap for hygienic handwashing

1.3. Details of the supplier of the safety data sheet

Registered company name : NEX MEDICAL ANTISEPTICS S.R.L.

Address: via per Arluno, 37/39 - 20010 Casorezzo (MI) - ITALY

Telephone: +39 02 90297821 Fax: +39 02 90383137

info@nexmedical.com

www.nexmedical.com

1.4. Emergency telephone number : +39 0290297821

Association/Organisation :Nex Medical Antiseptics s.r.l. - Mon/Fri 8:00/12:30 A.M.-2:00/4:30 P.M.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Serious eye damage, Category 1 (Eye Dam. 1, H318).

Hazardous to the aquatic environment - Acute hazard, Category 1 (Aquatic Acute 1, H400).

Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS05



GHS09

Signal Word :

DANGER

Product identifiers :

EC 242-354-0

D-GLUCONIC ACID, COMPOUND WITH

N,N"-BIS(4-CHLOROPHENYL)-3,12-DIIMINO-2,4,11,13-TETRAAZATETRADECANEDIAMIDINE
(2:1)

EC 931-329-6

AMIDES, C8-18 (EVEN NUMBERED) AND C18-UNSATD., N,N-BIS(HYDROXYETHYL)

EC 500-220-1

D-GLUCOPYRANOSE, OLIGOMERS, DECYL, OCTYL GLYCOSIDES

Hazard statements :

H318

Causes serious eye damage.

H410

Very toxic to aquatic life with long lasting effects.

Precautionary statements - General :

P102

Keep out of reach of children.

NEX CLOREX C2 - SHOWER BATH KIT - formulation 070 - UFI: 9060-D0AV-H005-YS53

Precautionary statements - Prevention :

P273 Avoid release to the environment.
P280 Wear eye/face protection.

Precautionary statements - Response :

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor/physician.
P391 Collect spillage.

Precautionary statements - Disposal :

P501 Dispose of contents/container as hazardous waste.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) $\geq 0.1\%$ published by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :

Identification	(EC) 1272/2008	Note	%
CAS: 18472-51-0 EC: 242-354-0 REACH: 01-2119946568-22 D-GLUCONIC ACID, COMPOUND WITH N,N"-BIS(4-CHLOROPHENYL)-3,12-DIIMIN O-2,4,11,13-TETRAAZATETRADECANEDIA MIDINE (2:1)	GHS05, GHS09 Dgr Eye Dam. 1, H318 Aquatic Acute 1, H400 M Acute = 10 Aquatic Chronic 1, H410 M Chronic = 1		2.5 \leq x % < 10
CAS: 68603-42-9 EC: 931-329-6 REACH: 01-2119490100-53 AMIDES, C8-18 (EVEN NUMBERED) AND C18-UNSATD., N,N-BIS(HYDROXYETHYL)	GHS05, GHS09 Dgr Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411		2.5 \leq x % < 10
CAS: 68515-73-1 EC: 500-220-1 REACH: 01-2119488530-36 D-GLUCOPYRANOSE, OLIGOMERS, DECYL, OCTYL GLYCOSIDES	GHS05 Dgr Skin Irrit. 2, H315 Eye Dam. 1, H318		0 \leq x % < 2.5
INDEX: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7 REACH: 01-2119457558-25 PROPAN-2-OL	GHS02, GHS07 Dgr Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	[1]	0 \leq x % < 2.5

(Full text of H-phrases: see section 16)

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.
NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation :

Move the person away from the place of exposure and take him/her outside.

In the event of splashes or contact with eyes :

If applicable, remove contact lenses.

Additional treatment to be provided immediately in an eye clinic or by an ophthalmologist.

In the event of splashes or contact with skin :

In the event of skin irritation, seek medical advice.

In the event of swallowing :

Rinse out the mouth, do not allow to drink, do not induce vomiting. Calm the person down and transfer immediately to hospital or doctor.

Show the label to the doctor.

4.2. Most important symptoms and effects, both acute and delayed

Cf. § 11

4.3. Indication of any immediate medical attention and special treatment needed

Refer to the recommendation of the doctor.

SECTION 5 : FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable methods of extinction

Any extinguishing agents are authorized: foam, sand, carbon dioxide, water, powder.

Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

5.3. Advice for firefighters

Use autonomous insulating breathing apparatus and a full protective suit.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Absorb any spilled product with absorbent non-combustible materials, and sweep away or remove with a shovel. Put any waste in drums for disposal. Do not mix with any other waste. Wash the contaminated surface thoroughly with water.

For small quantities, dilute the product with large quantities of water and rinse away.

Do not collect the product for re-use.

Do not get rid in natural spaces.

6.4. Reference to other sections

Disposal considerations: see section 13.

SECTION 7 : HANDLING AND STORAGE**7.1. Precautions for safe handling**

- Always wash hands after handling.
- Remove and wash contaminated clothing before re-using.
- Product for external use - do not swallow.
- Handle in accordance with user instructions on label

Fire prevention :

- Handle in well-ventilated areas.
- Prevent access by unauthorised personnel.

Recommended equipment and procedures :

- For personal protection, see section 8.
- Observe precautions stated on label and also industrial safety regulations.
- Avoid eye contact with this mixture at all times.
- Packages which have been opened must be reclosed carefully and stored in an upright position.
- Water source nearby.

Prohibited equipment and procedures :

- No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

- Keep the container tightly closed
- Do not use after the expiry date mentioned on the packaging.

Storage

- Keep out of reach of children.
- Keep the container tightly closed in a dry, well-ventilated place.

Packaging

- Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

- For professional use only
- Refer to paragraph 1 for product indication

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

The information in this chapter refers to the product specifically described in this document. If the product is handled and/or exposed simultaneously with other chemical agents, these must be taken into consideration when choosing personal safety equipment.

8.1. Control parameters**Occupational exposure limits :**

- Germany - AGW (BAuA - TRGS 900, 29/01/2018) :

CAS	VME :	VME :	Excess	Notes
67-63-0		200 ppm 500 mg/m ³		2(II)

- Belgium (Arrêté du 09/03/2014, 2014) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
67-63-0	200 ppm 500 mg/m ³	400 ppm 1000 mg/m ³			

- France (INRS - ED984 :2016) :

CAS	VME-ppm :	VME-mg/m ³ :	VLE-ppm :	VLE-mg/m ³ :	Notes :	TMP No :
67-63-0	-	-	400	980	-	84

- Spain (Instituto Nacional de Seguridad e Higiene en el Trabajo (INSHT), 2017) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
67-63-0	200 ppm 500 mg/m ³	400 ppm 1000 mg/m ³		VLB®, s	

Nex Medical Antiseptics s.r.l.

NEX CLOREX C2 - SHOWER BATH KIT - formulation 070 - UFI: 9060-D0AV-H005-YS53

- Poland (2014) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
67-63-0	900 mg/m ³	1200 mg/m ³			

- Czech Republic (Regulation No. 361/2007) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
67-63-0	500 mg/m ³	1000 mg/m ³		I	

- Slovakia (Règlement 300/2007, 471/2011 23/11/2011) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
67-63-0	200 ppm 500 mg/m ³	400 ppm 1 000 mg/m ³			

- Switzerland (SUVAPRO 2017) :

CAS	VME	VLE	Valeur plafond	Notations
67-63-0	200 ppm 500 mg/m ³	400 ppm 1000 mg/m ³		B SSC

- UK / WEL (Workplace exposure limits, EH40/2005, 2011) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
67-63-0	400 ppm 999 mg/m ³	500 ppm 1250 mg/m ³			

8.2. Exposure controls**Personal protection measures, such as personal protective equipment**

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

- Eye / face protection

Avoid contact with eyes.

Make safety goggles with side protection available to the personnel.

Provide eye washes in workshops.

If necessary, the nearest water supply

- Hand protection

Not applicable.

- Body protection

HEALTH MEASURES:

Do not eat, drink or smoke during use.

- Respiratory protection

Avoid product's inhalation

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES**9.1. Information on basic physical and chemical properties****General information :**

Physical state :	Fluid liquid.
Odour:	To be translated (XML)
Colour:	red

Important health, safety and environmental information

pH :	5.00 +/- 1. Neutral.
Boiling point/boiling range :	Not specified.
Flash Point :	86.00 °C.
Vapour pressure (50°C) :	Not relevant.
Density :	1.030 - 1.050
Water solubility :	Soluble.
Melting point/melting range :	Not specified.
Self-ignition temperature :	Not specified.

Decomposition point/decomposition range :

Not specified.

9.2. Other information

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No hazardous reaction if the instructions/indications for storage and handling are respected.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

Cf. § 10.1 and 10.2

10.4. Conditions to avoid

Do not mix with other products.

10.5. Incompatible materials

Do not mix with other products.

10.6. Hazardous decomposition products

At high temperatures, dangerous decomposition products may be produced, such as fumes, carbon dioxide and carbon monoxide, nitrogen oxide.

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

11.1.1. Substances

No toxicological data available for the substances.

11.1.2. Mixture

Acute toxicity :

Ingestion may lead to irritation of the digestive system, abdominal pain, headaches and nausea.

Skin corrosion/skin irritation :

Possibility of itching with light to moderate local redness.

Serious damage to eyes/eye irritation :

Serious eyes damage.

Burns, characterized by discomfort or pain, excessive blinking, lacrimation and redness, swelling of the conjunctiva.

Respiratory or skin sensitisation :

Product not classified in this hazard category.

Germ cell mutagenicity :

Product not classified in this hazard category.

Carcinogenicity :

Product not classified in this hazard category.

Reproductive toxicant :

Product not classified in this hazard category.

Specific target organ systemic toxicity - single exposure :

Product not classified in this hazard category.

Specific target organ systemic toxicity - repeated exposure :

Product not classified in this hazard category.

Aspiration hazard :

Product not classified in this hazard category.

SECTION 12 : ECOLOGICAL INFORMATION

Very toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.2. Mixtures

Acute toxicity:

Very toxic to aquatic organisms.

Chronic toxicity:

Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or eliminate according to legislation in force.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

Codes of wastes (Decision 2014/955/EC, Directive 2008/98/EEC on hazardous waste) :

15 01 10 * packaging containing residues of or contaminated by dangerous substances

18 01 06 * chemicals consisting of or containing dangerous substances

For information :

The following waste codes are given as guidelines only.

The waste code must be determined by the user, according to the application of the product.

SECTION 14 : TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2017 - IMDG 2016 - ICAO/IATA 2017).

14.1. UN number

3082

Nex Medical Antiseptics s.r.l.

NEX CLOREX C2 - SHOWER BATH KIT - formulation 070 - UFI: 9060-D0AV-H005-YS53**14.2. UN proper shipping name**

UN3082=ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(d-gluconic acid, compound with n,n"-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1))

14.3. Transport hazard class(es)

- Classification :

9

14.4. Packing group

III

14.5. Environmental hazards

- Environmentally hazardous material :

**14.6. Special precautions for user**

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	9	M6	III	9	90	5 L	274 335 375 601	E1	3	-

Not subject to this regulation if Q <= 5 l / 5 kg (ADR 3.3.1 - DS 375)

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ
	9	-	III	5 L	F-A,S-F	274 335 969	E1

Not subject to this regulation if Q <= 5 l / 5 kg (IMDG 3.3.1 - 2.10.2.7)

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	9	-	III	964	450 L	964	450 L	A97 A158 A197	E1
	9	-	III	Y964	30 kg G	-	-	A97 A158 A197	E1

Not subject to this regulation if Q <= 5 l / 5 kg (IATA 4.4.4 - DS A197)

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

SECTION 15 : REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****- Classification and labelling information included in section 2:**

The following regulations have been used:

Regulation (EC) No. 1272/2008 and its amendments.

- Container information:

No data available.

- Particular provisions :

No data available.

15.2. Chemical safety assessment

Information from the chemical safety assessment of substances present in the product is included in the appropriate sections of this safety data sheet, whenever necessary.

NEX CLOREX C2 - SHOWER BATH KIT - formulation 070 - UFI: 9060-D0AV-H005-YS53

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

UPDATES SINCE PREVIOUS VERSION

- § 1
- § 2
- § 3
- § 7
- § 8
- § 9
- § 11
- § 12
- § 15
- § 16

Wording of the phrases mentioned in section 3 :

H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

GHS05 : Corrosion

GHS09 : Environment

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.